

Indelval Product LEED Chart



USGBC - LEED ® Credits													
Art.	Product	Materials & Resources						Indoor Environmental Quality					
		MR Credit 1.2	MR Credit 2	MR Credit 3.1	Recycled content		MR Credit 4	MR Credit 5	MR Credit 6	IEQ Credit 4.1	IEQ Credit 4.3	California Section 01350	Floorscore ® certified
		Building reuse	Construction waste management	Material reuse	pre-consumer	post-consumer	Recycled content contribution (sum of post-consumer + 1/2 pre-consumer)	Regional materials (1)	Rapidly renewable materials	Low emitting materials adhesives	Low emitting materials flooring system		
Sheet system													
2233-01/03	Motiva plus 2,0 mm - hg	✓	✓	✓				✓	10%	✓	✓	✓	✓
2233-35/37	Motiva plus 3,0 mm - hg	✓	✓	✓				✓	10%	✓	✓	✓	✓
2233-28/30	Motiva plus 3,0 mm - db	✓	✓	✓	0,12	0,08	0,14	✓	10%	✓	✓	✓	✓
2212-01/03	Chronos plus 2,0 mm - hg	✓	✓	✓				✓	10%	✓	✓	✓	✓
2212-35/37	Chronos plus 3,0 mm - hg	✓	✓	✓				✓	10%	✓	✓	✓	✓
2212-28/30	Chronos plus 3,0 mm - db	✓	✓	✓	12%	8%	14%	✓	10%	✓	✓	✓	✓
2112-01/03	Chronos tx 2,0 mm - hg	✓	✓	✓				✓	10%	✓	✓	✓	✓
2112-35/37	Chronos tx 3,0 mm - hg	✓	✓	✓				✓	10%	✓	✓	✓	✓
2112-28/30	Chronos tx 3,0 mm - db	✓	✓	✓	12%	8%	14%	✓	10%	✓	✓	✓	✓
2215-01/03	Geo plus 2,0 mm - hg	✓	✓	✓				✓	10%	✓	✓	✓	✓
2215-35/37	Geo plus 3,0 mm - hg	✓	✓	✓				✓	10%	✓	✓	✓	✓
2215-28/30	Geo plus 3,0 mm - db	✓	✓	✓	12%	8%	14%	✓	10%	✓	✓	✓	✓
2115-01/03	Geo tx 2,0 mm - hg	✓	✓	✓				✓	10%	✓	✓	✓	✓
2115-35/37	Geo tx 3,0 mm - hg	✓	✓	✓				✓	10%	✓	✓	✓	✓
2115-28/30	Geo tx 3,0 mm - db	✓	✓	✓	12%	8%	14%	✓	10%	✓	✓	✓	✓
2220-28/30	Indelcol plus 3,0 mm - db	✓	✓	✓	12%	8%	14%	✓	10%	✓	✓	✓	✓
Tile system													
1715-53	Geo hm - hg	✓	✓	✓				✓	10%	✓	✓	✓	✓
1722-53	Viva hm - hg	✓	✓	✓				✓	10%	✓	✓	✓	✓
1021-35	Cerama 3,0 mm - hg	✓	✓	✓				✓	10%	✓	✓	✓	✓
1021-28	Cerama 3,0 mm - db	✓	✓	✓	8%	10%	14%	✓	10%	✓	✓	✓	✓
1321-41	Deco 3,2 mm - hg	✓	✓	✓				✓	10%	✓	✓	✓	✓
1321-59	Deco 4,0 mm - db	✓	✓	✓	8%	10%	14%	✓	10%	✓	✓	✓	✓
1221-35	Clasica 3,0 mm - hg	✓	✓	✓				✓	10%	✓	✓	✓	✓
1221-66	Clasica 4,0 mm - hg	✓	✓	✓				✓	10%	✓	✓	✓	✓
1221-28	Clasica 3,0 mm - db	✓	✓	✓	8%	10%	14%	✓	10%	✓	✓	✓	✓
1221-59	Clasica 4,0 mm - db	✓	✓	✓				✓	10%	✓	✓	✓	✓
1721-25	Hm 2,7 mm - hg	✓	✓	✓				✓	10%	✓	✓	✓	✓
1721-26	Hm 2,7 mm - db	✓	✓	✓	8%	10%	14%	✓	10%	✓	✓	✓	✓
1821-35	Leganti 3,0 mm - hg	✓	✓	✓				✓	10%	✓	✓	✓	✓
1821-66	Leganti 4,0 mm - hg	✓	✓	✓				✓	10%	✓	✓	✓	✓
1821-28	Leganti 3,0 mm - db	✓	✓	✓	8%	10%	14%	✓	10%	✓	✓	✓	✓
1821-29	Leganti 4,0 mm - db	✓	✓	✓	8%	10%	14%	✓	10%	✓	✓	✓	✓
2421-35	Textura 3,0 mm - hg	✓	✓	✓				✓	10%	✓	✓	✓	✓
2421-28	Textura 3,0 mm - db	✓	✓	✓	8%	10%	14%	✓	10%	✓	✓	✓	✓
Stairtread system													
1121-68	Cerama tread 4,0 mm - hg	✓	✓	✓				✓	10%	✓	✓	✓	✓
1421-68	Deco tread 4,0 mm - hg	✓	✓	✓				✓	10%	✓	✓	✓	✓
0921-68	Clasica tread 4,0 mm - hg	✓	✓	✓				✓	10%	✓	✓	✓	✓
Special applications													
2217-16/17	M2000 conductive plus 2,5 mm - db	✓	✓	✓		7%	7%	✓	10%	✓	✓	✓	✓
2217-29/30	M2000 conductive plus 3,0 mm - db	✓	✓	✓		7%	7%	✓	10%	✓	✓	✓	✓
2113-61	Ecosport tx 4,0 mm - db	✓	✓	✓	14%	9%	16%	✓	10%	✓	✓	✓	✓
2113-79	Ecosport tx 7,0 mm - db	✓	✓	✓	16%	11%	19%	✓	10%	✓	✓	✓	✓
2115-76/78	Geo tx SE 7,0 mm - db	✓	✓	✓	16%	11%	19%	✓	10%	NA	✓	✓	✓
2113-76/78	Ecosport tx SE 7,0 mm - db	✓	✓	✓	16%	11%	19%	✓	10%	NA	✓	✓	✓
2112-76/78	Chronos tx SE 7,0 mm - db	✓	✓	✓	16%	11%	19%	✓	10%	NA	✓	✓	✓
2921-80	Guia STOP 7,0 mm - hg	✓	✓	✓				✓	10%	✓	✓	✓	✓
3021-80	Guia GO 7,0 mm - hg	✓	✓	✓				✓	10%	✓	✓	✓	✓
2821-80	Guia ALT 7,0 mm - hg	✓	✓	✓				✓	10%	✓	✓	✓	✓

✓ Based on the 2009 LEED rating system and the overall scope of your project product may contribute to your LEED scorecard.

¹ Manufacturing site: Villa Madero, Buenos Aires, Argentina.

² The required adhesive may not be available in your area. Contact us for further information.