

SCS Global Services does hereby certify that an independent assessment has been conducted on behalf of:

# Indelval SAIC

Carabelas 1022 Villa Madero, Buenos Aires, BA, Argentina

For the following product(s):

## Rubber Flooring:

Cerama, Chronos plus, Chronos tx, Clasica, Deco, Ecoval bus, Ecoval plus, Ecoval tx, Geo hm, Geo plus, Geo tx, Hm, Indelcol plus, Leganti, M2000 conductive plus, Motiva plus, Sustenta mt, Textura, Urbana mt, Viva hm, Ecosport tx

(Maximum Thickness – 4.0 mm)

The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):

## FloorScore®

Indoor Air Quality Certified to SCS-EC10.3-2014 v4.1

Conforms to the CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as Flooring.

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m<sup>3</sup> (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Registration # SCS-FS-05208

Valid from: October 1, 2022 to September 30, 2023

SCS Global Services is currently the only certification body approved by the Resilient Floor Covering Institute (RFCI) to provide FloorScore® product certification; certified products are only listed on the SCS Green Products Guide, <http://www.scsglobalservices.com/certified-green-products-guide>.



ANSI National Accreditation Board

ACCREDITED

ISO/IEC 17065

PRODUCT CERTIFICATION  
BODY



A handwritten signature in black ink that reads "Stanley Mathuram".

Stanley Mathuram, PE, Executive Vice President  
SCS Global Services  
2000 Powell Street, Ste. 600, Emeryville, CA 94608 USA